PAGE: 1 (4)

REFERENCE LIST: ICU SEDATION OCTOBER 2018



To achieve a calm, cooperative patient

Guidelines

Devlin JW, Skrobik Y, Gélinas C, et al. Clinical Practice Guidelines for the Prevention and Management of Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption in Adult Patients in the ICU. Crit Care Med. 2018 Sep;46:e825–e873.

Vincent JL, Shehabi Y, Walsh TS, et al. Comfort and patient-centred care without excessive sedation: the eCASH concept. Intensive Care Med. 2016;42:962–71.

DAS-Taskforce 2015, Baron R, Binder A, et al. Evidence and consensus based guideline for the management of delirium, analgesia, and sedation in intensive care medicine. Revision 2015 (DAS-Guideline 2015) – short version. Ger Med Sci. 2015 Nov 12;13:Doc19.

Meta-analysis

Duan X, Coburn M, Rossaint R, et al. Efficacy of perioperative dexmedetomidine on postoperative delirium: systematic review and meta-analysis with trial sequential analysis of randomised controlled trials. Br J Anaesth. 2018;121:384–97.

Liu Y, Liang F, Liu X, et al. Dexmedetomidine Reduces Perioperative Opioid Consumption and Postoperative Pain Intensity in Neurosurgery: A Meta-analysis. J Neurosurg Anesthesiol. 2018;30:146–55.

Liu X, Xie G, Zhang K, et al. Dexmedetomidine vs propofol sedation reduces delirium in patients after cardiac surgery: A meta-analysis with trial sequential analysis of randomized controlled trials. J Crit Care. 2017;38:190–6.

Singh PM, Panwar R, Borle A, et al. Perioperative analgesic profile of dexmedetomidine infusions in morbidly obese undergoing bariatric surgery: a meta-analysis and trial sequential analysis. Surg Obes Relat Dis. 2017;13:1434–46.

Zhang Z, Chen K, Ni H, et al. Sedation of mechanically ventilated adults in intensive care unit: a network meta-analysis. Sci Rep. 2017;7:44979.

Constantin JM, Momon A, Mantz J, et al. Efficacy and safety of sedation with dexmedetomidine in critical care patients: A meta-analysis of randomized controlled trials. Anaesth Crit Care Pain Med. 2016;35:7–15.

Cruickshank M, Henderson L, MacLennan G, et al. Alpha-2 agonists for sedation of mechanically ventilated adults in intensive care units: a systematic review. Health Technol Assess. 2016;20:1–118.

Chen K, Lu Z, Xin YC, et al. Alpha-2 agonists for long term sedation during mechanical ventilation in critically ill patients Cochrane Database Syst Rev. 2015;1:CD010269.

Fraser GL, Devlin JW, Worby CP, et al. Benzodiazepine versus non benzodiazepine-based sedation for mechanically ventilated, critically ill adults: a systematic review and meta-analysis of randomized trials. Crit Care Med. 2013;41(9 Suppl 1):S30–8.

Xia ZQ, Chen SQ, Yao X, et al. Clinical benefits of dexmedetomidine versus propofol in adult intensive care unit patients: a meta-analysis of randomized clinical trials. J Surg Res. 2013;185:833–43.

ICU sedation

GENERAL

Shehabi Y, Bellomo R, Kadiman S, et al. Sedation Intensity in the First 48 Hours of Mechanical Ventilation and 180-Day Mortality: A Multinational Prospective Longitudinal Cohort Study. Crit Care Med. 2018;46:850–9.

Romagnoli S, Amigoni A, Blangetti I, et al. Light sedation with dexmedetomidine: a practical approach for the intensivist in different ICU patients. Minerva Anestesiologica 2018;84:731–46

Scibelli G, Maio L, Sasso M et al. Dexmedetomidine: Current Role in Burn ICU. Transl Med UniSa. 2017;16:1–10.

Shehabi Y, Forbes AB, Arabi Y, et al. The SPICE III study protocol and analysis plan: a randomized trial of early goal directed sedation compared with standard care in mechanically ventilated patients. Crit Care Resusc 2017;19:318–26.

Weatherall M, Aantaa R, Conti G, et al. A multinational, drug utilisation study to investigate the use of dexmedetomidine (dexdor®) in clinical practice in the EU, Br J Clin Pharmacol. 2017;83:2066–76.

Page VJ, McAuley DF. Sedation/drugs used in intensive care sedation. Curr Opin Anaesthesiol. 2015;28:139–44.

Keating GM. Dexmedetomidine: A Review of Its Use for Sedation in the Intensive Care Setting. Drugs. 2015;75:1119–30.

Srivastava U, Sarkar ME, Kumar A, et al. Comparison of clonidine and dexmedetomidine for short-term sedation of intensive care unit patients. Indian J Crit Care Med. 2014;18:431–6.

Jakob SM, Ruokonen E, Grounds RM, et al. Dexmedetomidine vs midazolam or propofol for sedation during prolonged mechanical ventilation: two randomized controlled trials. JAMA. 2012;307:1151–60.

Riker RR, Shehabi Y, Bokesch PM, et al. Dexmedetomidine vs midazolam for sedation of critically ill patients: a randomized trial. JAMA. 2009;301:489–99.

CARDIAC ICU

Ling X, Zhou H, Ni Y, et al. Does dexmedetomidine have an antiarrhythmic effect on cardiac patients? A meta-analysis of randomized controlled trials. PLoS One. 2018;13:e0193303.

Liu Y, Sheng B, Wang S, et al. Dexmedetomidine prevents acute kidney injury after adult cardiac surgery: a meta-analysis of randomized controlled trials. BMC Anesthesiol. 2018;18:7.

Liu H, Ji F, Peng K, et al. Sedation after cardiac surgery: is one drug better than another? Anesth Analg 2017; 124:1061–70.

Djaiani G, Silverton N, Fedorko L, et al.

Dexmedetomidine versus Propofol Sedation Reduces

Delirium after Cardiac Surgery: A Randomized Controlled Trial. Anesthesiology. 2016;124:362–8.

Karaman Y, Abud B, Tekgul ZT, et al. Effects of dexmedetomidine and propofol on sedation in patients after coronary artery bypass graft surgery in a fast-track recovery room setting. J Anesth. 2015;29:522–8.

Herr DL, Sum-Ping ST, England M. ICU sedation after coronary artery bypass graft surgery: dexmedetomidine-based versus propofol-based sedation regimens. J Cardiothorac Vasc Anesth. 2003;17:576–84.

See also:

Liu X et al, 2017 in the Meta-analysis section Maldonado JR et al, 2009 in the Delirium (& effects on cognitive function) section

NEURO ICU

Dong CS, Lu Y, Zhang J, et al. The optimal dose of dexmedetomidine added to an sufentanil-based analgesic regimen for postoperative pain control in spine surgery. A probit analysis study, Medicine (Baltimore). 2016;95:e4776.

Song J, Ji Q, Sun Q, et al. The Opioid-sparing Effect of Intraoperative Dexmedetomidine Infusion After Craniotomy. J Neurosurg Anesthesiol. 2016;28:14–20.

Tsaousi GG, Lamperti M, Bilotta F. Role of Dexmedetomidine for Sedation in Neurocritical Care Patients: A Qualitative Systematic Review and Meta-analysis of Current Evidence. Clin Neuropharm. 2016;39:144–51.

Erdman MJ, Doepker BA, Gerlach AT, et al. A comparison of severe hemodynamic disturbances between dexmedetomidine and propofol for sedation in neurocritical care patients. Crit Care Med. 2014;42:1696–702.

Srivastava VK, Agrawal S, Kumar S, et al. Comparison of Dexmedetomidine, Propofol and Midazolam for Short-Term Sedation in Postoperatively mechanically Ventilated Neurosurgical Patients. J Clin Diagn Res. 2014:8:GC04–7.

Wang X, Ji J, Fen L, Wang A. Effects of dexmedetomidine on cerebral blood flow in critically ill patients with or without traumatic brain injury: a prospective controlled trial. Brain Inj. 2013;27:1617–22.

Drummond JC, Sturaitis MK. Brain tissue oxygenation during dexmedetomidine administration in surgical patients with neurovascular injuries. J Neurosurg Anesthesiol. 2010;22:336–41.

NIV

Longrois D, Conti G, Mantz J, et al. Sedation in Non-Invasive Ventilation: Do we know what to do (and why)? Multidisciplinary Respiratory Medicine. 2014;9:56.

Demuro JP, Mongelli MN, Hanna AF. Use of dexmedetomidine to facilitate non-invasive ventilation. Int J Crit Illn Inj Sci. 2013;3:274–5.

Huang Z, Chen YS, Yang ZL, Liu J. Dexmedetomidine versus midazolam for the sedation of patients with non-invasive ventilation failure. Intern Med. 2012;51:2299–305.

Senoglu N, Oksuz H, Dogan Z, et al. Sedation during noninvasive mechanical ventilation with dexmedetomidine or midazolam: a randomized, double-blind, prospective study. Curr Ther Res. 2010;71:141–53.

Analgesia

Cheng M, Shi J, Gao T, et al. The Addition of Dexmedetomidine to Analgesia for Patients After Abdominal Operations: A Prospective Randomized Clinical Trial. World J Surg. 2017;41:39–46.

Ehieli E, Yalamuri S, Brudney CS, Pyati S. Analgesia in the surgical intensive care unit. Postgrad Med J. 2017;93:38–45.

Ramsay MA, Newman KB, Leeper B, et al. Dexmedetomidine infusion for analgesia up to 48 hours after lung surgery performed by lateral thoracotomy. Proc (Bayl Univ Med Cent). 2014;27:3–10.

See also:

Liu Y et al, 2018 and Singh PM et al, 2017 in the Metaanalysis section

Song J et al, 2016 in the ICU Sedation/Neuro ICU section

Delirium (& effects on cognitive function)

PREVENTION

He F, Shen L, Zhong J. A study of dexmedetomidine in the prevention of postoperative delirium in elderly patients after vertebral osteotomy. Int J Clin Exp Med 2018;11:4984–90.

Skrobik Y, Duprey MS, Hill NS, Devlin JW, Low-dose nocturnal dexmedetomidine prevents ICU delirium: a randomized, placebo-controlled trial. Am J Respir Crit Care Med. 2018;197:1147–56.

Stollings JL, Thompson JL, Ferrell BA, et al. Sedative plasma conentrations and delirium risk in critical illness. Ann Pharmacother. 2018;52:513–21.

Wu M, Liang Y, Dai Z et al. Perioperative dexmedetomidine reduces delirium after cardiac surgery: A meta-analysis of randomized controlled trials. J Clin Anesth. 2018;50:33–42.

Su X, Meng ZT, Wu XH, et al. Dexmedetomidine for prevention of delirium in elderly patients after noncardiac surgery: a randomised, double-blind, placebocontrolled trial. Lancet. 2016;388:1893–902.

Park JB, Bang SH, Chee HK, et al. Efficacy and safety of dexmedetomidine for postoperative delirium in adult cardiac surgery on cardiopulmonary bypass. Korean J Thorac Cardiovasc Surg. 2014;47:249–54.

Reade MC, Finfer S. Sedation and delirium in the intensive care unit. N Engl J of Med. 2014;370:444–54.

Maldonado JR, Wysong A, van der Starre PJ, et al. Dexmedetomidine and the reduction of postoperative delirium after cardiac surgery. Psychosomatics. 2009;50:206–17.

See also:

Liu X et al, 2017 and Zhang Z et al, 2017 in the Metaanalysis section

Shehabi Y et al, 2018 in the General ICU Sedation section

Djaiani G et al, 2016 in the ICU Sedation/Cardiac ICU section

TREATMENT

Carrasco G, Baeza N, Cabré L, et al.

Dexmedetomidine for the treatment of hyperactive delirium refractory to haloperidol in non-intubated ICU patients: a non-randomized controlled trial. Crit Care Med, 2016;44:1295–306.

Ely EW, Pandharipande PP. The Evolving Approach to Brain Dysfunction in Critically III Patients. JAMA, 2016;315:1455–6.

Reade MC, Eastwood GM, Bellomo R, et al. Effect of Dexmedetomidine Added to Standard Care on Ventilator-Free Time in Patients With Agitated Delirium: A Randomized Clinical Trial. JAMA. 2016; 315:1460–8.

Reade MC. Dexmedetomidine: what next? Ann Transl Med. 2016;4:247.

Reade MC, O'Sullivan K, Bates S, et al.

Dexmedetomidine vs. haloperidol in delirious, agitated, intubated patients: a randomised open-label trial. Crit Care. 2009;13:R75.

See also:

Riker RR et al, 2009 in the ICU Sedation section

EFFECTS ON COGNITIVE FUNCTION

Zhang J, Wang G, Zhang F, Zhao Q. Improvement of postoperative cognitive dysfunction and attention network function of patients with ischemic cerebrovascular disease via dexmedetomidine. Exp Ther Med. 2018;15:2968–72.

Guo Y, Sun L, Zhang J, et al. Preventive effects of low-dose dexmedetomidine on postoperative cognitive function and recovery quality in elderly oral cancer patients. Int J Clin Exp Med 2015;8:16183–90.

Mirski MA, Lewin JJ, Ledroux S, et al. Cognitive improvement during continuous sedation in critically ill, awake and responsive patients: the Acute Neurological ICU Sedation Trial (ANIST). Intensive Care Med. 2010;36:1505–13.

Withdrawal

Long D, Long B, Koyfman A. The emergency medicine management of severe alcohol withdrawal. Am J Emerg Med. 2017;35:1005–11.

Dixit D, Endicott J, Burry L, et al. Management of acute alcohol withdrawal syndrome in critically ill patients. Pharmacotherapy. 2016;36: 797–822.

VanderWeide LA, Foster CJ, MacLaren R, et al.

Evaluation of early dexmedetomidine addition to the standard of care for severe alcohol withdrawal in the ICU: a retrospective controlled cohort study. J Intensive Care Med. 2016;31:198–204.

Linn DD, Loeser KC. Dexmedetomidine for Alcohol Withdrawal Syndrome: a Review of the Literature. Ann Pharmacother. 2015;49:1336–42.

Richards JR, Albertson TE, Derlet RW, et al.

Treatment of toxicity from amphetamines, related derivatives, and analogues: A systematic clinical review. Drug Alcohol Depend. 2015;150:1–13.

Wong A, Smithburger PL, Kane-Gill SL. Review of adjunctive dexmedetomidine in the management of severe acute alcohol withdrawal syndrome. Am J Drug Alcohol Abuse. 2015;41:382–91.

Health economy

Turunen H, Jakob SM, Ruokonen E, et al.

Dexmedetomidine versus Standard Care Sedation with Propofol or Midazolam in Intensive Care – an Economic Evaluation. Critical Care. 2015;19:67.

Thoma BN, Li J, McDaniel CM, et al. Clinical and economic impact of substituting dexmedetomidine for propofol due to a US drug shortage: examination of coronary artery bypass graft patients at an urban medical centre. Pharmacoeconomics. 2014;32:149–57.

Curtis JA, Hollinger MK, Jain HB. Propofol-based versus dexmedetomidine-based sedation in cardiac surgery patients. J Cardiothorac Vasc Anesth. 2013;27:1289–94.

See also:

Djaiani G et al, 2016 in the Cardiac ICU section.

Pharmacokinetics

Xu B, Zhou D, Ren L, et al. Pharmacokinetic and pharmacodynamics of intravenous dexmedetomidine in morbidly obese patients undergoing laparoscopic surgery J Anesth. 2017;31:813–20.

Välitalo PA, Ahtola-Sätilä T, Wighton A, et al. Population pharmacokinetics of dexmedetomidine in critically ill patients. Clin Drug Investig. 2013;33:579–87.

lirola T, Aantaa R, Laitio R, et al. Pharmacokinetics of prolonged infusion of high-dose dexmedetomidine in critically ill patients. Crit Care. 2011;15:R257.

Pharmacodynamics

SLEEP/EEG

Akeju O, Hobbs LE, Gao L, et al. Dexmedetomidine promotes biomimetic non-rapid eye movement stage 3 sleep in humans: A pilot study. Clinical Neurophysiology, 2018:129:69–78.

Lu W, Fu Q, Luo X, et al. Effects of dexmedetomidine on sleep quality of patients after surgery without mechanical ventilation in ICU. Medicine (Baltimore). 2017;96:e7081.

Wu XH, Cui F, Zhang C, et al. Low-dose Dexmedetomidine Improves Sleep Quality Pattern in Elderly Patients after Noncardiac Surgery in the Intensive Care Unit: A Pilot Randomized Controlled Trial. Anesthesiology. 2016;125:979–91. Alexopoulou C, Kondili E, Diamantaki E, et al. Effects of dexmedetomidine on sleep quality in critically ill patients. Anesthesiology. 2014;121:801–7.

Huupponen E, Maksimow A, Lapinlampi P, et al. Electroencephalogram spindle activity during dexmedetomidine sedation and physiological sleep. Acta Anaesthesiol Scand. 2008;52:289–94.

See also:

Guldenmund P, 2017 in the Pharmacodynamics/CNS section

Su X et al, 2016 in the Delirium section

RESPIRATION

Conti G, Ranieri VM, Costa R, et al. Effects of dexmedetomidine and propofol on patientventilator interaction in difficult-to-wean, mechanically ventilated patients: a prospective, open-label, randomised, multicentre study. Crit Care. 2016;20:206.

Becker SE. A pilot study implementing a protocol using dexmedetomidine as a safe and alternative to traditional sedation to decrease ventilator days for patiients difficult to extubate. Dimens Crit Care Nurs. 2016;35:291–7.

Ebert TJ, Hall JE, Barney JA, et al. The effects of increasing plasma concentrations of dexmedetomidine in humans. Anesthesiology. 2000;93:382–94.

KIDNEY

Zhong W, Zhang Y, Zhang MZ et al. Pharmacokinetics of dexmedetomidine administered to patients with end-stage renal failure and secondary hyperparathyroidism undergoing generalanaesthesia. J Clin Pharm Ther. 2018;43:414–21.

De Wolf AM, Fragen RJ, Avram MJ, et al. The pharmacokinetics of dexmedetomidine in volunteers with severe renal impairment. Anesth Analg. 2001;93:1205–9.

HAEMODYNAMICS

Gerlach AT, Blais DM, Jones GM, et al. Predictors of Dexmedetomidine-associated hypotension in critically ill patients. Int J Crit Illn Inj Sci. 2016;6:109–14.

Ogawa Y, Iwasaki KI, Aoki K, et al. Dexmedetomidine weakens dynamic cerebral autoregulation as assessed by transferfunction analysis and the thigh cuff method. Anesthesiol. 2008;109:642–50.

GI TRACT

Chen C, Huang P, Lai L, et al. Dexmedetomidine improves gastrointestinal motility after laparoscopic resection of colorectal cancer: A randomized clinical trial Medicine (Baltimore). 2016;95: e4295.

lirola T, Vilo S, Aantaa R, et al. Dexmedetomidine inhibits gastric emptying and oro-caecal transit in healthy volunteers. Br J Anaesth. 2011;106:522–7.

See also:

Cheng M et al, 2017 in the Analgesia section

ENDOCRINE

Ueki M, Kawasaki T, Habe K, et al. The effects of dexmedetomidine on inflammatory mediators after cardiopulmonary bypass. Anaesthesia. 2014;69:693–700.

Venn RM, Bryant A, Hall GM, Grounds RM. Effects of dexmedetomidine on adrenocortical function, and the cardiovascular, endocrine and inflammatory responses in post-operative patients needing sedation in the intensive care unit.

Br J Anaesth. 2001;86:650–6.

CNS

Guldenmund P, Vanhaudenhuyse A, Sanders RD et al. Brain functional connectivity differentiates dexmedetomidine from propofol and natural sleep. Br J Anaesth, 2017;119:674–84.

Okazaki T, Hifumi T, Kawakita K et al. Association between dexmedetomidine use and neurological outcomes in aneurysmal subarachnoid hemorrhage patients: a retrospective observational study. J Crit Care, 2017;44:111–6.

Schomer KJ, Sebat CM, Adams JY, et al.
Dexmedetomidine for Refractory Intracranial
Hypertension. J Intensive Care Med. 2017 Jan 1:
[Epub ahead of print].

Chen W, Liu B, Zhang F, et al. The effects of dexmedetomidine on post-operative cognitive dysfunction and inflammatory factors in senile patients. Int J Clin Exp Med. 2015;8:4601–5.

Drummond JC, Dao AV, Roth DM, et al. Effect of dexmedetomidine on cerebral blood flow velocity, cerebral metabolic rate, and carbon dioxide response in normal humans. Anesthesiol. 2008;108:225–32.

See also:

Wang X et al, 2013 and Drummond JC et al, 2010 in the ICU Sedation/Neuro ICU section Ogawa Y et al, 2008 in the PD/Haemodynamics section

Liu Y et al, 2018 in the Meta-analysis section

OTHER

Krüger BD, Kurmann J, Corti N, et al.

Dexmedetomidine-associated hyperthermia: a series of 9 cases and a review of the literature. Anesth Analg. 2017;125:1898–906.

Maze M. From Bench to Bedside and Back Again, A Personal Journey with Dexmedetomidine. Anesthesiology. 2016;125:590–4.

Callaway CW, Elmer J, Guyette FX, et al. Dexmedetomidine Reduces Shivering during Mild Hypothermia in Waking Subjects. PLoS One. 2015;10:e0129709.

Sanders RD, Hussell T, Maze M. Sedation & immunomodulation. Anesthesiol Clin. 2011;29:687–706.

